CCL Cable clamps / cable clips

for C section rails C30



The cable clamps are characterised by a high clamping range and great flexibility. Ideally suited for strain relief on the C section rail with opening dimensions 16 - 17 mm. It offers flexible clamping ranges from 6 mm to 64 mm. The counter tray is secured by a locking mechanism and cannot slip out of the cable clamp.

Also available: sets consisting of <u>EMC shield clamp LFC and matching CCL cable</u> clip.





Specifications

Material	Mild steel, galvanically zinc plated
Properties	vibration proof
Mounting options	Clamping

Advantages & Benefits

Quick and easy assembly

For mounting on all common C30 rails with 16 - 17 mm opening dimensions

Product types & Sizes

CCL 6-13



Part No.	32000	Clamping	1 x 6 - 13
EAN	4251269323	range	mm
	577		
Package	25		
quantity			
Length	24 mm		
Width	19 mm		
Height	31 mm		

51 mm

Mounting height



32001 1 x 12 - 19 Part No. Clamping EAN **4251269323** range mm 584 Package 25 quantity Length 24 mm Width 22 mm Height 36 mm Mounting 56,7 mm height

CCL 18-23



Part No. 32002 Clamping 1 x 18 - 23 EAN **4251269323** range mm 591 Package 25 quantity Length 24 mm Width 26 mm 38 mm Height Mounting 62 mm height

CCL 22-32

 Part No.
 32003
 Clamping
 1 x 22 - 32


 EAN
 4251269323
 range
 mm

607 25


Package 29 quantity

Length 24 mm Width 38 mm Height 52 mm Mounting 72 mm

height



CCL 30-38



 Part No.
 32004
 Clamping

 EAN
 4251269323
 range

1 x 30 - 38

mm

614

Package 25

quantity


Length 24 mm Width 44 mm Height 62 mm Mounting 78 mm

height



32005 1 x 38 - 42 Part No. Clamping EAN **4251269323** range mm 621 Package 25 quantity Length 24 mm Width 48 mm Height 67 mm Mounting 82 mm height

CCL 42-50



Part No. 32006 Clamping 1 x 42 - 50 EAN **4251269323** range mm 638 Package 25 quantity Length 24 mm Width 55 mm 83 mm Height Mounting 101 mm height

CCL 50-64

Part No. 32007 Clamping 1 x 50 - 64
EAN 4251269323 range mm
645
Package 25
quantity
Length 24 mm
Width 69 mm

98 mm

116 mm

Height Mounting

height

